








0.6mm SECC Frame
Durable Construction












Tool-Less 5.25" ODD and 3.5" HDD Bay Design Fast and Convenient Installation



Spacious Cable Management Area Sufficient Cable Routing Holes Clean and Neat Cable Organization





Case Size	Mid Tower
Material	SECC Steel Tempered Glass
External Drive Bay	5.25" x 1
Internal Drive Bay	5.25" x 2 3.5" / 2.5" x 4 (Supports SATA HDD EZ-Swap Module x 4) 2.5" x 2
M/B Form Factor	ATX, Micro-ATX, Mini-ITX
Power Supply	ATX 12V, PSII Size and EPS up to 220mm (170mm with Bottom Fan)
I/O Port	USB 3.0 x 1 USB 2.0 x 2 HD Audio
I/O Expansion Slots	PCI-E Slot x 7 Supports High-end Graphic Cards up to 408mm
Thermal Solution	Front - 120mm Fan x 2 Rear - 120mm LED Fan x 1 Bottom - 120mm Fan x 1 CPU Heatsink up to 160mm Water-Cooling Hole Ready
Dimension (HxWxD)	440 x 210 x 472.5mm 17.3"x 8.3"x 18.6"
Net Weight	5.9 kg
Gross Weight	7.0 kg

<sup>\*</sup> In Win products comply with RoHS regulations \* Specifications may vary based on different regions