

IW-R200-02N

2U Open-Bay Short Depth Rackmount Chassis

Server



Features & Benefits

- Compliance for AMD EPYC family
- 2U rackmount supports ATX motherboard
- Supporting external 5.25" x 2 and internal 3.5" HDD x 4
 - Supports 80 x 25mm cooling fans x 2
- Compatible with single PSU 500W, redundant 500W or CRPS 550W/800W
 - Expandable storage option with InWin storage kit
- Supporting 7 low-profile cards or optional full-height PCIe slots x 3 with rear PCIe card holder




IW-R200-02N

2U Open-Bay Short Depth Rackmount Chassis

Server

Specifications

Industry Standard	Compatible with EIA-RS310D standard 19" cabinets
M/B Form Factor	ATX (12" x 9.6")
Drive Bay	• External: 5.25" x 2 • Internal: 3.5" x 4
Power Supply	Supports: • Form factor: single, 2U redundant, CRPS • Watt: single 500W, 2U redundant 550W, CRPS 550W / 800W
Indicators	Power status, HDD, LAN activity LEDs
Front Control Panel	Power switch, system reset, USB 2.0 x 2
Chassis Security	Intrusion switch (optional)
Cooling Fans	• 80 x 25mm PWM front fan x 1 • 80 x 25mm PWM rear fan x 1
Expansion Slot	Low profile PCIe slot x 7 or full-height PCIe slot x 3 (via riser card)
Material	• Material: SGCC • Thickness: 1.2mm
Rail Kit	Supports 28" tool-less & ball-bearing slide rails
Product Dimensions (DxWxH; Chassis Only)	504 x 432.4 x 88mm (19.84" x 17.02" x 3.46")
Package Dimensions (DxWxH)	682 x 563 x 204mm
Weight (Chassis Only)	• Net weight: 7.18kg • Gross weight: 10.12kg
Cubic Feet	2.77
Container Information	Single packing with pallets: • 20': 270pcs • 40': 540pcs • 40' HQ: 600pcs



IW-R200-02N

2U Open-Bay Short Depth Rackmount Chassis

Server

Optional Items

Item	Part Number	Description	Support
Slide Rail	3RAMIS032202	20" friction slide rail	1 set
Slide Rail	3RAMIS129500	28" tool-less & ball-bearing slide rails (weight capacity 35kg)	1 set
Power Supply	3RAMAP044100	1U Single 500W, 80 Plus Gold	1
Power Supply	3RAMAP025102	CRPS 550W, 80 Plus Platinum	Max.2
Power Supply	3RAMAP025202	CRPS 800W, 80 Plus Platinum	Max.2
Power Supply	3RAMAP025502	PDB power cage for CRPS Max. 800W	1
Fan	3RAMFB008602	80 x 25mm, PWM, 4500RPM	2
Storage Kit	2RAKID044201	IW-SK23-02, 2.5"/3.5" SAS/SATA III Storage Kit, 12Gb/s	1
Storage Kit	2RAKID088302	IW-SK23-07, 2.5"/3.5" NVMe/SAS/SATA III Storage Kit, 12Gb/s	1
Others	2RAKPD046404	Front I/O USB 3.0 module	1
Others	3RAMRW011300	Intrusion switch / 800mm	1
Others	2RAKIH012700	Full-height PCIe slot x 3 with rear PCIe card holder	1

* The actual product is subject to change without prior notice. In Win Development Inc. reserves the right to make any final modifications.

* The above image is for reference only. All hardware components and optional parts are not included.