






Features & Benefits

- 1U appliance chassis with 15" depth for space-sensitive applications
- Utilizing space for HDD deployment to optimized HDD storage design
 - Dual 2.5" hot-swap storage bay for quick HDD maintenance
- Outstanding thermal exhaust efficiency supports 40 x 28mm PWM fan x 3 (pre-installed x 2)
 - Supports 1U Flex form factor PSU (up to 315W)
 - Optional PCIe riser card and riser card bracket
 - With two front access USB ports



Specifications

Industry Standard	Compatible with EIA-RS310D standard 19" cabinets
M/B Form Factor	ATX (12" x 9.6")
Drive Bay	• External: slim ODD x 1, hot-swap 2.5" x 2 • Internal: 3.5" HDD x 1
Power Supply	Supports: • Form factor: Flex • Watt: up to 315W
Indicators	Power status, HDD, LAN activity LEDs
Front Control Panel	Power switch, system reset, USB 2.0 x 2
Cooling Fans	Supports 40 x 28mm PWM fan x 3 (pre-installed x 2)
Expansion Slot	Full height PCIe slot x 1 (via riser card and bracket)
Material	• Material: SGCC • Thickness: 1.0mm
Rail Kit	Supports 20" friction slide rail
Product Dimensions (DxWxH; Chassis Only)	393.2 x 430 x 43.5mm (15.48" x 16.93" x 1.71")
Package Dimensions (DxWxH)	592 x 518 x 155mm
Weight (Chassis Only)	• Net weight: 3.79kg • Gross weight: 5.04kg
Cubic Feet	1.68
Container Information	Single packing with pallets: • 20': 440pcs • 40': 968pcs • 40'HQ: 1056pcs



Optional Items

Item	Part Number	Description	Support
Slide Rail	3RAMIS032202	20" friction slide rails	1 set
Cable	3RAMW4024400	SATA 7-pin to SATA 7-pin, 500mm	2
Power Supply	1DDW265AU20201	IP-S265AU7-2, 1U Flex, 265W, 80 Plus Bronze	1
Power Supply	1DDU315AU20221	IP-P315AU7-2, 1U Flex, 315W, 80 Plus Gold	1
Fan	3RAMFB010801	40 x 28mm, PWM, 14500RPM	Max.3
Fan	2RAKFB002800	40 x 28mm, PWM, 14700RPM	Max.3
Riser Card	2RAKPD049200	1U PCIe Gen3 x16 lanes riser kit, ITX MB compatibility	1
Riser Card	3RAMPD020200	PCIe Gen3 x16 riser card, left-facing 90 degree design	1
Riser Card	2RARIC026400	1U riser card bracket, ATX/mATX MB compatibility	1
Back I/O Shield Plate	2RAVIQ043300	Rear I/O shield- DFI SD330	1
Back I/O Shield Plate	2RAVIQ017900	Rear I/O shield- Tyan S5535	1
Back I/O Shield Plate	-	InWin can customize the I/O shield backplate for specific motherboards, with SGCC material to fulfill customers' specific I/O configuration requirements.	1
Others	2RAKPD046404	USB 3.0 module	1

* The actual product is subject to change without prior notice. In Win Development Inc. reserves the right to make any final modifications.

* The above image is for reference only. All hardware components and optional parts are not included.